

FC10/FC10Plus Exam

Lifeloc Technologies, Inc.

Mark your answers clearly by CIRCLING or highlighting the letter (A, B, C, or True, False etc.) that corresponds with your selected answer.



Example:

Which manufacturer treats their customers the best?

- A. Drunks-are-us
- B. Lifeloc Technologies**
- C. Ted's Testers. Inc

PLEASE PRINT CLEARLY

Student Name: _____

Agency Name: _____

Address: _____

City, State & Zip: _____

E-Mail: _____

Date: _____

Lifeloc Model: _____

Return this completed form to:
mastertrainer@lifeloc.com

Lifeloc Technologies
12441 West 49th Ave., Unit 4
Wheat Ridge, CO 80033

FC Exam

1. **What type of batteries does the FC require?**
 - A. Standard AAA only
 - B. Rechargeable only
 - C. Standard AA only
 - D. Either Standard AA or NiMH Rechargeable

2. **When does the “Precise Volume” trigger mode take the breath sample?**
 - A. At the end of breath
 - B. After 2 seconds
 - C. After 1.5 liters of breath

3. **What button works as the “home” key?**
 - A. Execute
 - B. Power
 - C. Function

4. **The FC10 is designed to operate in which internal temperature range?**
 - A. 0 - 23°C
 - B. 7 - 35°C
 - C. 0- 55°C

5. **Conducting a Manual Override of an Auto Test requires that you push and release the Execute button to take a breath sample?**
 - A. True
 - B. False

6. **You should instruct the subject to blow as hard as they can into the FC.**
 - A. True
 - B. False

7. **You can manually override an Auto Test.**
 - A. True
 - B. False

8. **What substance will destroy the fuel cell sensor in the FC?**
 - A. Mouthwash
 - B. Nicotine
 - C. Gum

9. **Passive Testing will provide a numeric BAC reading.**
 - A. True
 - B. False

Return this completed form to:
mastertrainer@lifeloc.com

Lifeloc Technologies
12441 West 49th Ave., Unit 4
Wheat Ridge, CO 80033

FC Exam

- 10. It is important to keep the fuel cell moist.**
A. True
B. False
- 11. What button works as the “save” key?**
A. Power
B. Execute
C. Function
- 12. A new mouthpiece should be attached before each direct test.**
A. True
B. False
- 13. The FC has an adjustable backlight display.**
A. True
B. False
- 14. How many digits are displayed in a direct test BAC result?**
A. 2
B. 3
C. 4
- 15. What does the User Prompt *Flow Error* mean?**
A. There is not alcohol detected.
B. The breath flow ended before the subject blew them minimum liters of breath.
C. External interference has been detected.
- 16. What should you do if the User Prompt *Pump Reset Needed* is displayed?**
A. Replace the batteries.
B. Have the subject blow again.
C. Follow the onscreen instructions.

Please send completed test to mastertrainer@lifeloc.com to receive your certificate of completion. Certificate processing takes 7-10 business days.

Return this completed form to:
mastertrainer@lifeloc.com

Lifeloc Technologies
12441 West 49th Ave., Unit 4
Wheat Ridge, CO 80033